

SWEDOOR

by ADW Limited



RELIABILITY *for real life*®

Internal Doors and StormAway External Doorsets

When you need more than an ordinary door

Quality products from Scandinavia

Scandinavia is recognised as producing some of the best quality and designed high performance products for the UK market.

Our internal door range is one of the widest available. Choose from our moulded door, veneered or our purity stile and rail ranges, available in a number of finishes including painted or real wood veneer. Doors are available as single or from one of our doorset ranges.

The StormAway range of external doorsets are of highly engineered lamination, made of several layers, incorporating a combination of materials geared to providing the ultimate in home security, supreme insulation characteristics, high integrity balanced materials for structural stability, and craftsmanship worthy of the Swedoor brand.

The factory-made combination of door, frame and threshold guarantees the air and water tightness you expect from a high performance doorset, plus the thermal and sound insulation characteristics the home owner will value.



Largest manufacturer in Europe

Swedoor is a range of products from JELD-WEN Door Solutions, Europe's largest manufacturer of doorsets. The products represent a benchmark for outstanding quality. Our doorsets, designed for residential applications, are engineered to the highest performance standards for impressive durability and unbeatable value for money.

JELD-WEN has been at the forefront of doorset engineering for decades. There has been a continuous programme of investment in design, development, testing and manufacturing. JELD-WEN continually invests in modern, advanced technology manufacturing facilities to ensure the highest standard of output combined with efficient and cost effective production.

Factory quality

Manufacturing units are independently certified and monitored under ISO 9001 for product design and development as well as production. Our doorsets are thoroughly tested both in our own laboratories and by independent authorities to UK standards.

CE marking

CE Marking is a declaration by JELD-WEN that our StormAway external doorsets meet all the appropriate legislation regarding the applicable European Directives. This mark allows us to demonstrate the quality of our doorsets and their resistance to extreme weather conditions. By choosing tested doorsets you know exactly what you're getting.

Contents

Internal Doors

3



Moulded	4-5
Routed	6-7
Flush	8-9
Veneered	10-11
Purity	12-13
Pine Panelled	14-15
Painted Panelled	16-17
Door Frames	18
FlexFrame	19



External Doorsets

20

StormAway composite doorsets	
- Specifications and security	20
- Doorset range	21
- Standard features	22
- Options	23

Internal Doors

Swedoor has one of the widest internal door ranges in the market. Choose from high quality painted moulded doors to our purity solid shaker ranges. Our frame options complete the range including our unique FlexFrame system which makes installing doors a hassle free process. All the components are pre-cut and mitred making a professional fit.

Moulded

Our moulded door range feature both traditional and contemporary designs. With the option of glazed designs to let more light into your home. Doors are available as door only or in conjunction with our frame options.

See pages 18-19 for more details.

96/SP12B+SP12B



Margot 96/04



Gunilla 96/SP10



Panel range



Annette 96/03
White



Karin 96/02B
White



Gunilla 96/04N
White



Margot 96/04



Dalsand 96/06
White

Glazed range



Annette 96/SP6
White



Karin 96/SP6B
White



96/SP12B
White



Gunilla 96/SP10
White



Margot/Dalsand
96/04SP6



Annette 96/SP6 + SP6
White



Karin 96/SP6B
+ SP6B
White



96/SP12B
+ SP12B
White



Gunilla 96/SP10
+ SP10
White



Margot/Dalsand 96/04SP6
+ SP6

Routed

The Routed door is smooth and understated, with style created through routed grooves. Manufactured using the standard Swedoor construction of a honeycomb core with timber frame, makes it light, hard-wearing and reliable. This door is available in a wide range of paint finishes.



Panel range



Rut 207/E58
White



Bommen 207/E11
White

Glazed range



200/SP12
White



200/GW1
White



200/SP12 + SP12
White



200/SP12



200/GW1

Flush

This door has a completely smooth surface in an understated and contemporary design. It is available with glazing options and in a full range of colours. The door is manufactured with a honeycomb core and a timber frame, making it light, hard-wearing and reliable.

Available as FD30 fire doors.

Panel 200/GW



Panel 200/GW



200/SP12 + SP12



Panel range



200/GW
White

Glazed range



200/GW1
White



200/G21
White



200/SP12
White



200/SP12 + SP12
White

200/SP12



Veneered

Veneer finishes give you exquisite wood tones from a range of choices including birch, beech, oak, gaboon, koto, mahogany and walnut.


These are very stylish and will last beyond most design trends.

Available as FD30 fire doors.

201/GW4 Birch



Beech with veneered frame set



Panel range



201
Birch

Glazed range



201/GW1
Oak



201/G21



201/SP12*
Birch



201/SP12 + SP12 Pair*
Koto

Veneer options



Birch



Oak



Beech



Koto



Mahogany

*Not available in Koto and Gaboon.

Purity

The Purity door range, takes its inspiration from the Shaker style with pure lines. The door, framework and panelling are made from MDF with a foiled surface for excellent finish. The series consists of four basic models with one, two, three or four panels with matching glazed options.

A Purity door is very stylish, giving a truly modern finish.

Swedoor has also created additional practical uses for the Purity door range – a mirrored finish can be used in a bedroom, bathroom or guest room, and will increase the feeling of space in that room.

The blackboard door could be useful in a kitchen setting, or for children's bedrooms.

700/01L



700/04L



Blackboard finish



Mirror finish



Panel range



01L
White



700/03L
White



700/04L
White



700/02V
White

Glazed range



700/GW01L
Glass White



700/GW03L
Glass White



700/GW04L
Glass White



700/02V
Glass White



700/02V
Birch Glass Pair

Finish options



Birch Foil



Oak Foil



White Foil



Clear



Frosted



Gothic

Glazing options

Pine Panelled

The solid panelled door in Nordic pine represents traditional craftsmanship at its very best. Over the years Swedoor has produced the very best solid pine doors on the market. High quality natural timber, with its varied knots, graining and range of shades of colour creates a calm and pleasant atmosphere around a home.

These doors are still produced in the traditional way, with a construction of stiles and rails and panels in solid pine. Available in a wide range of glazed options to choose from.

Available as FD30 fire doors.

150/03 Bodil



Panel range



150/03B
Bodil



150/04
Cecilia

Glazed range



150/SP6
Bodil



150/SP6 + SP3
Bodil



150/04SP6 + 04SP6
Cecilia



Painted Panelled

The painted MDF panelled door is quality throughout, made with solid panels, stiles and rails. In the production process, the panelling is painted separately before the door is assembled, then painted again when the door is complete.

These doors look good in both an apartment setting or in a traditional home.

Available as an FD30 fire door.

155/04 Cecilia



155/03 Bodil



Panel range



155/03
Bodil



155/04
Cecilia

Glazed range



155/SP6
Bodil



155/04SP6
Cecilia



155/04SP6 + 04SP6
Cecilia

155/SP6 Bodil



Timber Door Frame

Swedoor timber frame sets can be supplied in doorset form with the door and frame hung together complete or they can be supplied as kit form with the two jambs and one head supplied separately ready to hang the door at a later date.

Please see specification options below for further details.



Standard Specification

Section Size: 28mm with a 14mm stop
 Material: Pinewood
 Hinges: x 2
 Striking plate: x 1

Optional Primed Specification

Section Size: 28mm with a 14mm stop
 Material: Primed Pinewood
 Hinges: x 2
 Striking plate: x 1

Optional Painted Specification

Section Size: 28mm with a 14mm stop
 Material: Painted Pinewood
 Hinges: x 2
 Striking plate: x 1

Standard Frame Widths

- 89mm
- 96mm
- 100mm
- 115mm
- 121mm
- 128mm
- 135mm
- 147mm

Please note; fire door specification is the same as non fire except for intumescent strip fitted to both jambs and three hinges.

FlexFrame

The Swedoor FlexFrame makes it easy to change doors. It's a unique, easy to put together frame solution delivered with flush or moulded architraves. A pre-packed FlexFrame is supplied pre-drilled with assembly instructions, glue, silicon and fittings.

The FlexFrame is available in white, in four different frame depths, all of which can be extended 25 mm which are suitable for walls that are 75-153 mm thick.



The pre-packed FlexFrame set includes all fittings and full instructions.



Purity door 700/04 painted in NCS S 0502-Y, with white FlexFrame and flush architraves.



FlexFrame gives you a choice of selecting moulded or flush architraves.

External Composite Doorsets

When choosing an external doorset, security should be a high factor. Our external doorsets have been thoroughly tested in our laboratories and independent tested to PAS-23 and PAS-24.

Glass in our external doorsets are installed by a special technique to ensure that it can only be removed from within. Hinges are mounted with a groove made by hardened steel. It penetrates the frame deeply, making the door safe from attack.



Specifications

Unique multi-layer construction

StormAway exterior doorsets are composite doors. They are manufactured using a wood fibre core sealed within aluminium stabilising panels for exceptional strength.

Thermal performance

The StormAway doorset delivers excellent thermal performance - a factory fitted siliconised compression weather strip creates a continuous seal between the door and frame, minimising energy loss and preventing water ingress. Door styles with glazing incorporate low E double glazing for maximum energy saving.

Ten year guarantee

StormAway doorsets are constructed to resist extreme temperatures without twisting or bowing. The composite materials provide stability and thermal properties reducing heat loss.

Security as standard

StormAway external doorsets provide an enhanced level of security as standard.

- 60mm solid door thickness.
- Two adjustable heavy-duty ball bearing hinges bolted through the frame to steel reinforcing plates.
- Drill proof lock case and anti-bump oval cylinder and thumb turn, as NHBC standards combined with a high security striking plate.
- 3 point espagnolette multi-point locking system.
- Police 'Secured by Design' certified.
- Laminated and toughened security glass.



Doorset range



Donington
Uvalue 0.9



Repton
Uvalue 1.4



Barents
Uvalue 0.9



Edale
Uvalue 1.4



Roxburgh
Uvalue 1.4



Delta
Uvalue 1.4



Puccini
Uvalue 0.9



Puccini W35
Uvalue 1.4



Barents W85
Uvalue 1.4

Exterior sidelight & toplight range



EPD (single)
Sidelight
Painted



EPP (double)
Sidelight
Painted



EPC (triple)
Sidelight
Painted



Toplight
Painted

Standard features

Door construction

- Wood fibre core sealed between two 0.45mm aluminium stabilising sheets with a HDF face.
- Edged with rebated timber stiles and rails.
- 60mm Door thickness.
- Finished in white NCS S0502-Y.
- Aluminium rain deflector.
- Standard size 988 x 2080mm.

Door frame

- Head and jambs manufactured from selective pine, fully machined, assembled and pre-drilled to accept screw fixings for installations.
- Double siliconised rubber compression weather strips to create a continuous seal between the door and frame.
- Aluminium threshold designed specifically both for Part Q & M – to meet Barrier-free access regulations.
- Inwards opening frame 115mm.

Glazing

- Clear laminated glass.

Ironmongery

Handles

- Chrome finish.

Hinges

- Two heavy duty fully adjustable ball bearing steel hinges.

Lock and cylinder

- Multiple 3 point espagnolette locking system with adjustable security striking plate fitted as standard.
- Oval single cylinder and thumb turn fitted as a standard specification.

Letter plate

- Chrome.

Door viewer

- Fitted as standard on certain styles – 180° angle. Chrome finish.



Options

Sizes

Special sizes are available up to a maximum of 1250mm x 2266mm.

Double doors are available on request.

Ironmongery

Stainless steel kick plates available.

Glazing

All glazed doorsets come with clear laminated glass as standard. Alternatively laminated Ice Obscure is available as an option, please specify when placing your order.



Ice Obscure

Door Frame

Outwards opening frame - 105mm.

Alternative NCS colours

Colours are available at an additional charge. Dual colours are available at an extra charge.



NCS S 5500-N



NCS S 3010-G10Y



NCS S 2565-R80B



NCS S 2570-Y90R



NCS S 7020-R90B



JELD-WEN Worldwide, Europe and the UK

JELD-WEN has production facilities all over Europe and is the main supplier of doors in the European market. Residential Doorsets are manufactured for the UK market with a dedicated capacity and a specialist team.

JELD-WEN UK offers the largest range in the UK and our products enhance thousands of homes across the country. Our commitment to quality is obvious in every item we manufacture – in their superb appearance and long-lasting performance. We make sure this quality is readily available, through our nationwide network of suppliers and specialist distributors.

You can find our Head Office in Sheffield, South Yorkshire, although we have manufacturing and operational sites throughout the country.

The SWEDOOR brand is now a part of JELD-WEN UK. It symbolises a range of high quality products and engineered Commercial and Residential door solutions. Doorsets are manufactured using modern and efficient facilities and we have over 15 years experience in the UK. Whilst we offer a standard range of surfaces, Veneered, Painted and Laminated in sizes adapted to meet the needs of the current market, we are also able to manufacture bespoke joinery door solutions. Our products are certified and comply to the latest Building Regulations.



RELIABILITY *for real life*®



**Architectural Doors &
Windows Limited
9 South Wardpark Place
Wardpark South
Cumbernauld
G67 3HX**